



## Fertilization Program for:

# “BLACKBERRY-BLUEBERRY- STRAWBERRY-RASPBERRY”

### RECOMENDATIONS AND DOSAGES:

STAGE	PRODUCT	DOSAGE PER ACRE	APPLICATION
Planting	• HydroErgo® Set	18 lb/acre	Application: 18 lb/acre of Hydro Ergo® Set to the soil substratum at planting, mixed with the granular fertilizer. Apply again the same dosage every beginning of the rain season.
Growing	• Ergo® Set LSS	18 lb/acre	1 <sup>st</sup> Application: 9 lb/acre 8 days after the application of Hydro Ergo® Set. 2 <sup>nd</sup> Application: 9 lb/acre in the sprout stage. Via Drip Irrigation, Gravity or Drench.
Flowering	• Ergo® Crop • Ergo® Stim • Ergo® Win	24 fl oz/acre 24 fl oz/acre 6 lb/acre	1 <sup>st</sup> Foliar application of the 3 products at the beginning of flowering (Ergo® Crop 8 fl oz/acre + Ergo® Stim 8 fl oz/acre + Ergo® Win 2 lb/acre). 2 <sup>nd</sup> Application 30 days after the 1 <sup>st</sup> application (Ergo® Crop 8 fl oz/acre + Ergo® Stim 8 fl oz/acre + Ergo® Win 2 lb/acre). 3 <sup>rd</sup> Application 15 days after the 2 <sup>nd</sup> application (Ergo® Crop 8 fl oz/acre + Ergo® Stim 8 fl oz/acre + Ergo® Win 2 lb/acre).
Maturity	• Ergo® Crop • Ergo® Stim • Ergo® K Excel	24 fl oz/acre 24 fl oz/acre 6 lb/acre	1 <sup>st</sup> Foliar application of the 3 products at the beginning of fruit formation (Ergo® Crop 8 fl oz/acre + Ergo® Stim 8 fl oz/acre + Ergo® K Excel 2 lb/acre). 2 <sup>nd</sup> Foliar application 15 days after the 1 <sup>st</sup> application (Ergo® Crop 8 fl oz/acre + Ergo® Stim 8 fl oz/acre + Ergo® K Excel 2 lb/acre). 3 <sup>rd</sup> Application 15 days after the 2 <sup>nd</sup> application (Ergo® Crop 8 fl oz/acre + Ergo® Stim 8 fl oz/acre + Ergo® K Excel 2 lb/acre).